
Alameda County Mosquito Abatement District City of Alameda 2023 update



Ryan Clausnitzer, MPA, REHS General Manager

www.mosquitoes.org

1.3.2023

Overview

- Formation & authority of Alameda County MAD
- Organization & funding
- Mosquitoes of Alameda County and where they grow
- Integrated vector management
 - Requests for service from the public
 - Community engagement & research
 - Monitoring and reporting mosquito abundance
 - Current mosquito control practices
 - Upcoming technologies





Tax-funded mosquito control in SF Bay Area because of...





Aedes dorsalis



Aedes squamiger



120 years ago

Civic, scientific, and business leaders organized mosquito districts




Eliza A. Neale, the first President, served for 12 years

Women in the San Rafael Improvement Club were foundational in organizing their mosquito control district during 1902



107 years ago:

1915 Mosquito Abatement Act of California





Governor Hiram Johnson



1915 Mosquito Abatement Act of California

Authorized government agencies to "Take any and all necessary or proper actions to prevent the occurrence of vectors and vectorborne diseases."

 Gave power to tax, form boards, and abate (impose fines for mosquito control)

California Health and Safety Code

2063. In addition to abating the public nuisance and taking any necessary actions to prevent the recurrence of the public nuisance, a board of trustees may impose a civil penalty on the owner of the property for failure to comply with the requirements of Section 2061. The civil penalty may not exceed one thousand dollars (\$1,000) per day for each day that the owner of the property fails to comply with the district's requirements.



We have never charged or fined

Independent Special District of Alameda County MAD was formed 92 years ago

MOS OF ABATEMENT IS

Farm tractors
repurposed by civil
engineers to modify
marsh habitat and limit
mosquito growth





ACMAD Board of Trustees

14 appointed by their City Council + 1 County-at-Large Trustee



Victor Aguilar, Vice-President Newark



Subru Bhat, President Union City



Cathy Roache, Secretary County-at-Large



Dr. Robert Beatty Berkeley



Tyler Savage Alameda



Preston Jordan Albany



Shawn Kumagai Dublin



Courtney Welch Emeryville



George Young Fremont



Elisa Márquez Hayward



Steven Cox Livermore



Dr. Jan O. Washburn Oakland



Eric Hentschke Newark



Julie Testa Pleasanton



Hope Salzer Piedmont



STRATEGIC PLAN

ALAMEDA COUNTY
MOSQUITO ABATEMENT DISTRICT



ENSURE ACMAD HAS THE TRAINING, EQUIPMENT, PERSONNEL, PARTNERSHIPS, AND FINANCIAL SUPPORT TO LIMIT THE INTRODUCTION OF INVASIVE AEDES MOSQUITOES

LEVERAGE ACMAD ASSETS TOWARDS EFFICIENT APPROACHES TO MOSQUITO CONTROL

EMPLOY THE BEST PRACTICES FOR MOSQUITO CONTROL DISTRICTS AND LOCAL GOVERNMENTS



Fixed Charges and/or Special Assessments						
Description	Phone	Amount				
CSA ST LIGHTING CV SAN SEWER SVC	510-670-5212 510-537-0757	21.80 439.00				
MOSQ MSR K 1982 CSA PARAMEDIC VEC CNTRL MSR A 84 PARAMEDIC SUPPLMNT ALA CO CLEAN WATER HAYWARD USD MAINT	800-273-5167 925-867-3400 800-273-5167 925-867-3400 510-670-5212 800-273-5167	1.74 35.00 5.92 18.54 7.10 28.00				
SFBRA MEASURE AA FLOOD BENEFIT 2 HAZ WASTE PROGRAM VECTOR CNTRL ASMT MOSQUITO ASMT 2008	888-508-8157 510-670-5212 800-273-5167 800-273-5167 800-273-5167	12.00 26.66 6.64 5.08 2.50				
* HUSD MSR A 2017 * EAST BAY TRAIL LLD HARD - PARK MAINT	800-2/3-516/ 844-332-0549 888-512-0316 510-881-6727	96.00 88.00 5.44 28.54				


interest earned

OPEB

special tax & benefit assessment \$4.9 million *ad valorum* property tax

0.0009% of assessed property value

Funding mosquito control





18 full-time employees with 2-5 seasonal employees and/or interns



Government Finance Officers Association

Certificate of Achievement for Excellence in Financial Reporting

Presented to

Alameda County Mosquito Abatement California


For its Annual Comprehensive Financial Report For the Fiscal Year Ended



		Year to year				
		% budget				
REVENUES	Budget 22/23		Budget 21/22	Actual 20/21		Budget 20/21
Ad Valoreum Property Taxes	\$ 2,755,397	7%		\$ 2,624,188	14%	-,,
Special Tax & Benefit Assessment	\$ 1,981,814	0%	.,,,	\$ 1,962,192	8%	.,,
Interest earned (restricted fund interest NOT included as revenue)	\$ 20,000	-33%	,	\$ 19,208	-36%	,
Sale of Property and Equipment & Misc.	\$ 2,500	-50%	-,	\$ 1,038	-79%	-,
Reimburese Retiree Health Benefits and fees from OPEB	\$ 140,946	-16%		\$ 163,355	-1%	\$ 164,913
Total Revenue	\$ 4,900,658	3%	\$ 4,765,864	\$ 4,769,981	10%	\$ 4,321,513
EXPENDITURES						
Salaries (including deferred comp.)	\$ 2,371,703	6%	\$ 2,236,282	\$ 2,037,043	-4%	\$ 2,116,177
CalPERS Retirement	\$ 534,559	13%		\$ 423,110	0%	
Medicare & Social Security	\$ 38,763	17%			-11%	
Fringe Benefits	\$ 564,969	-3%		\$ 502.898	-5%	\$ 527.031
Total Salaries, Retirement, & Benefits (pgs. 2,3)	\$ 3,509,995	6%		\$ 2,990,918	-3%	
Service & Supplies (Clothing & Personal supplies)	\$ 9,000	-10%		\$ 4.859	-51%	
Service & Supplies (Clothing & Personal supplies)	\$ 13,000	-13%		\$ 9.125	-39%	
Utilities	\$ 21,700	28%		\$ 15.422	29%	,
Small tools and instruments	\$ 3,000	0%		\$ 2,189	-27%	,
Maintenance (Landscaping & Facility)	\$ 30,000	-14%		\$ 20,262	-19%	-,
Maintenance (Equipment)	\$ 30,000	-14%		\$ 22,290	-36%	,
Transportation, travel, training, & board	\$ 119,840	-6%	,	\$ 74.653	-39%	,
Professional services	\$ 152,200	-25%		\$ 91,623	-48%	,
	\$ 37,000	-25% 54%		\$ 22,906	-40%	
Memberships, dues, & insurance Insurance - VCJPA & EAP	\$ 179,436	19%			-2% 3%	
	\$ 55,000	39%			-32%	
Community education				\$ 26,317		
Operations	\$ 227,500	-5%		\$ 223,362	-7%	
Household expenses	\$ 19,950	15%		\$ 15,881	-5%	
Office expenses	\$ 12,000	0%			-19%	
Information Technology/ Communication	\$ 107,400	-4%		\$ 71,771	-36%	
Laboratory	\$ 132,500 \$ 1,149,526	-8%		\$ 64,136	-54% -27%	\$ 139,000 \$ 1.118,186
Total Staff Budget (pg. 4) Contingency	\$ 1,149,526 \$ 46.000	-3% -8%		\$ 816,194 \$ -	-21%	\$ 1,110,100
Total Expenditures	\$ 4,705,521	3%	- /	*	-11%	·
	- / /					
SURPLUS (DEFICIT)	\$ 195,136		\$ 208,032	\$ 962,869		\$ 55,491
CASH CARRIED OVER (pg. 5)	\$ 882,264		\$ 1,530,673			\$ 161,656
SURPLUS (DEFICIT) AFTER OPERATIONAL CASH NEEDS	\$ 1,077,400		\$ 1,738,705			\$ 217,147
DECEDIE ACCOUNT ALLOCATIONS			*			*
RESERVE ACCOUNT ALLOCATIONS	e (40.400)		Transfers			Transfers
VCJPA Contingency Fund	\$ (43,103)		\$ -			\$ -
PARS: Pension Rate Stabilization	\$ 269,350		\$ 434,676			\$ -
CAMP: Public Health Emergency	\$ (26,732)		\$ -			\$ -
CAMP: Repair and Replace (pg. 6)	\$ 537,912		\$ 1,311,625			\$ 314,315
CAMP: Operating reserve	\$ -		\$ -			\$ (25,000
CAMP: Capital reserve	\$ 339,974		\$ (7,596)			\$ (72,168
Total reserve allocations (pg. 7)	\$ 1,077,400		\$ 1,738,705			\$ 217,147
SURPLUS (DEFICIT) AFTER RESERVE ALLOCATIONS	\$ -		\$ -			\$ -
	-					•



Obligate aquatic phase of mosquito life cycle





only female mosquitoes bite

males have feathery antenna

female antenna are thinner



Mosquito producing habitats in Alameda County

Native mosquitoes







Tule marsh



Unmaintained swimming pools





Storm water canals






Salt marsh

Ornamental ponds

Mosquito producing habitats of concern

Invasive mosquitoes







Tires





Utility vaults






Plant saucers

Bromeliad plants


Arboviruses spread by mosquitoes in CA



native to CA

Integrated mosquito management

- Data and institutional knowledge used to enact effective & sustainable mosquito control
- Proactive and responsive actions





Maintain water circulation channels in marsh habitats




Mosquito fish: Gambusia affinis



- We deliver them for free
- Love to eat mosquito larvae!
- Relatively small
 - 1.5 3 inches
- Live in shallow fresh water
- Can live in low oxygen water
 - Small ornamental ponds

Controlling mosquito larvae



Bacillus thuringiensis israelensis (Bti)

hormone

Methoprene

BVA-2



Larvicide application methods














Larvicide applications by drone





Where larvicide is applied in Alameda County


Most larvicide applications occur in marsh habitats that abut the SF Bay





Our very last resort for controlling infected adult mosquitoes





Ultralow volume pyrethroid insecticide


4 grams / square mile



Requests for service

830 Service Requests during 2021


In-person response within a day






Assessing mosquito abundance & arbovirus prevalence

Adult mosquito abundance monitoring







Power BI dashboard for 15 days (auto-updated)


Testing trapped mosquitoes for arboviruses in our lab using quantitative RT-PCR







Multi-agency dashboard to view high resolution data



Community engagement with the public

- Leverages a "show me" & discovery mindset
- Motivates an involved public



Cal State East Bay Students



Oakland Garden Preschool



Alameda Watershed Symposium

Community engagement with the public





















AlamedaMosquito



Community engagement with partner agencies & facilities

- Coordinate with land and facility managers
 - MOU with US FWS and EBRPD
- Engage public agencies
 - Cooperative agreement with CDPH
- Public & private lands
 - Mosquito Abatement and Vector
 Control Districts Principle Enabling
 Act (Health and Safety Code §2000 et seq.)











Engaging with universities & research institutes







Culex erythrothorax (Diptera: Culicidae): Activity periods, insecticide susceptibility and control in California (USA)

Allen T. Esterly, Dereje Alemaychu, Benjamin Rusmisel, John Dusam, Theresa L. Shelton, Tina Sebay, Nayer Zahiri, Joseph W. Huston, Ryan J. Clausnitzer, Eric J. Haas Stapleton 🗟

Published: July 10, 2020 • https://doi.org/10.1371/journal.pone.0228835



Quantitative reverse transcription PCR assay to detect a genetic marker of pyrethroid resistance in *Culex* mosquitoes

Kelli M. Hager, Erick Gaona, Amy Kistler, Kalani Ratnasiri, Hanna Retallack, Miguel Barretto, Sarah S. Wheeler, Christopher M. Hoover, Eric J. Haas-Stapleton

Published: August 8, 2022 • https://doi.org/10.1371/journal.pone.0252498





Assessing Mosquito Breeding Sites and Abundance Using An Unmanned Aircraft

Eric J. Haas-Stapleton; Miguel C. Barretto; Erika B. Castillo; Ryan J. Clausnitzer; Robert L. Ferdan J. Am Mosq Control Assoc (2019) 35 (3): 228–232. Toys or Tools? Utilization of Unmanned Aerial Systems in Mosquito and Vector Control Programs

Ary Faraji , tric Haas-Stapleton, Brad Sorensen, Marty Scholl, Gary Goodman, Joel Buettner, Scott Schon, Nicholas Lefkow, Colin Lewis, Bradley Fritz, Clint Hoffman, Greg Williams

Journal of Economic Entomology, Volume 114, Issue 5, October 2021, Pages 1896-1909,

MR. MISTER: ROCKIN' THE AEDES OF THE SAN FRANCISCO BAY SALT MARSHES 6


MARK WIELAND; JOSEPH HUSTON; RYAN CLAUSNITZER; ERIC J. HAAS-STAPLETON 🌌


J Am Mosq Control Assoc (2022)

ADVANCED POLICY ANALYSIS

Equitable, Effective Practices for Mosquito Abatement in Alameda County: Challenges and Solutions

Emily Estus, MPP/MPH Candidate 2021 University of California, Berkeley May 2020






Work Distribution Analysis for Alameda County Mosquito Abatement

Study conducted for

Alameda County Mosquito Abatement District

Treatment Map (Without Seasonals)





sterile insects for *Aedes* control

non-biting males are released to mate with invasive female mosquitoes

no new female mosquitoes are produced

3 sterile insect techniques (SIT) to reduce abundance of biting & disease-spreading female mosquitoes

sterile insects for Aedes control

irradiated

bacteria-infected

genetically engineered

Invasive Aedes mosquitoes are not yet in Alameda County





Irradiate male mosquitoes

Medfly and Mexfly - USDA APHIS

Jun 2, 2020 — APHIS-International Programs Action Programs Staff m breeding facilities for the **Medfly** and Mexfly. Flies are **irradiated** (ma

X-Rays sterilize male mosquitoes

25,000 sterilized at a time


Use for any species (unpatented method)

One-time equipment purchase

Grow 100,000s of mosquitoes

Must separate male from females

Reduced mosquito health







Wolbachia bacteria infection

Male mosquitoes naturally spread bacteria

Multi-generation impact

Reduced mosquito reproduction and virus growth

EPA-registered non-GMO option

Must separate male from females

PLOS NEGLECTED TROPICAL DISEASES

⑥ OPEN ACCESS Ø PEER-REVIEWED
RESEARCH ARTICLE

Open Release of Male Mosquitoes Infected with a *Wolbachia* Biopesticide: Field Performance and Infection Containment

Linda O'Connor, Catherine Plichart, Ayo Cheong Sang, Corey L. Brelsfoard, Hervé C. Bossin, Stephen L. Dobson a





Commercial provider = recurring cost



Genetically modified

Female mosquitoes eliminated as immatures

EPA approved & monitored trial in Florida

Eggs-in-a-box simplifies adult release

Public hesitancy to GMO

Recurring cost



Angela F Harris, Andrew R McKemey, Derric Nimmo, Zoe Curtis, Isaac Black, Siân A Morgan, Marco Neira Oviedo, Renaud Lacroix, Neil Naish, Neil I Morrison, Amandine Collado, Jessica Stevenson, Sarah Scaife, Tarig Dafa'alla, Guoliang Fu, Caroline Phillips, Andrea Miles, Norzahira Raduan, Nick Kelly, Camilla Beech, Christl A Donnelly, William D Petrie & Luke Alphey

Nature Biotechnology 30, 828-830(2012) Cite this article





Thank you.

23187 Connecticut Street Hayward, CA 94545

www.mosquitoes.org 510.783.7744

Ryan Clausnitzer, MPA, REHS General Manager ryan@mosquitoes.org