

CITY OF ALAMEDA ORDINANCE NO. 2824
New Series

AMENDING THE ALAMEDA MUNICIPAL CODE BY AMENDING CHAPTER XIII (BUILDING AND HOUSING) BY ADDING A NEW SECTION 13-56 (EXCAVATION INTO THE MARSH CRUST/SUBTIDAL ZONE AT THE FORMER NAVAL AIR STATION ALAMEDA AND FLEET INDUSTRIAL SUPPLY CENTER, ALAMEDA ANNEX AND FACILITY) TO ARTICLE XVII (PITS, WELLS AND EXCAVATIONS)

WHEREAS, the marshlands and near shore areas once located adjacent to the island of Alameda were filled with dredge material between approximately 1900 and 1940; and

WHEREAS, the marsh crust, and the subtidal zone extending from it, is a horizon that is identifiable in the subsurface (the interface at the bottom of the fill material) which contains remnants of grasses and other intertidal and subtidal features; and

WHEREAS, the marsh crust/subtidal zone also contains, at least locally, elevated levels of petroleum-related substances, such as semi-volatile organic compounds, which substances may pose an unacceptable risk to human health and the environment if excavated in marsh crust/subtidal zone materials, brought to the ground surface and handled in an uncontrolled manner; and

WHEREAS, proper handling, storage and disposal of materials excavated from the marsh crust/subtidal zone, pursuant to state and federal hazardous materials laws, will help eliminate unacceptable exposures and risks to human health and the environment; and

WHEREAS, the Draft Base-wide Focused Feasibility Study for the Former Subtidal Area and Marsh Crust and Ground Water (U.S. Navy, February 20, 1999) recommends implementation by the City of an institutional control, such as an excavation ordinance, as a remedial action related to the cleanup by the United States Navy of Naval Air Station Alameda and the Fleet Industrial Supply Center, Alameda Annex and Facility, which closed military installations are anticipated to be transferred to the City; and

WHEREAS, it can be seen with a certainty that adoption of a permitting program by the City that requires proper handling, storage and disposal, pursuant to existing state and federal hazardous materials laws, of materials excavated from the marsh crust/subtidal zone will not involve or require any physical activities other than optional testing of excavated materials and, therefore, is exempt from the California Environmental Quality Act pursuant to California Code of Regulations, title 14, section 15061(b)(3) because there is no possibility that the enactment of the ordinance may have a significant effect on the environment.

CITY ATTORNEY
APPROVED AS FOLLOWS

NOW, THEREFORE, BE IT ORDAINED by the Council of the City of Alameda that:

Section 1. The Alameda Municipal Code is hereby amended by adding a new Section 13-56 (Excavation Into the Marsh Crust/Subtidal Zone at the Former Naval Air Station Alameda and Fleet Industrial Supply Center) to Article XVII (Pits, Wells and Excavations) of Chapter XIII (Building and Housing) thereof to read:

13-56 EXCAVATION INTO THE MARSH CRUST/SUBTIDAL ZONE AT THE FORMER NAVAL AIR STATION ALAMEDA AND FLEET INDUSTRIAL SUPPLY CENTER, ALAMEDA ANNEX AND FACILITY.

13-56.1 DEFINITIONS.

For purposes of this Section 13-56 the following definitions shall apply:

Bay shall mean San Francisco Bay, including the Oakland Estuary and the Oakland Inner Harbor.

DTSC shall mean the California Environmental Protection Agency, Department of Toxic Substances Control.

Earth material shall mean any rock, natural soil or fill or any combination thereof.

Excavation shall mean the mechanical removal of earth material.

Hazardous materials, as defined in California Health and Safety Code sections 25260(d) and 25501(k), shall mean any material that, because of its quantity, concentration, or physical or chemical characteristics, poses a significant or potential hazard to human health and safety, or to the environment. Hazardous materials include, but are not limited to, hazardous substances, hazardous waste and any material which a handler or the administering agency has reasonable basis for believing would be injurious to the health and safety of persons or harmful to the environment if released into the workplace or the environment.

Marsh crust shall mean the underground layer that is the remnant of the tidal marsh that existed along the shoreline of Alameda Island before filling to create additional dry land. In many places, this layer contains substances from former industrial discharges that were retained in the historic marsh before filling.

Subtidal zone shall mean the underground layer that is the pre-filling Bay floor extension of the historic marsh. Together, the marsh crust and the subtidal zone constitute a single, continuous, underground layer that extends Bayward of the original mean higher high tide line of Alameda Island, before filling, throughout the area that was filled.

Threshold depth shall mean the depth below which a permit is required by this Section 13-56. The threshold depth is conservatively identified with the elevation above which there is little likelihood that substances from the historic marsh or Bay floor would have mixed during filling, including a margin of safety above the elevation of the historic marsh surface or subtidal zone. In no event will the threshold depth be above mean higher high water.

13-56.2 Permit Required.

- a. It shall be unlawful for any person, including utility companies and their employees and contractors, to excavate below a threshold depth above the marsh crust/subtidal zone within the area of the former Naval Air Station Alameda and Fleet and Industrial Supply Center, Alameda Annex and Facility, as depicted in Exhibit A, hereto, without first obtaining a permit in writing from the Chief Building Official.
- b. All excavation below the threshold depth in the area subject to this Section 13-56 shall be performed solely in accordance with the permit as approved and issued by the City.

13-56.3 Depth of Excavation Subject to Permit Requirement.

The Chief Building Official shall establish a threshold depth, consistent with DTSC's remedial decision documents pertaining to the marsh crust/subtidal zone, below which a permit shall be required for excavation pursuant to this Section 13-56. The threshold depth may vary by location. The Chief Building Official shall publish a map depicting the parcels and threshold depths for which a permit is required under this Section 13-56. The Chief Building Official may update the map, consistent with DTSC's remedial decision documents pertaining to the marsh crust/subtidal zone, as necessary to incorporate any new information concerning the depth of the marsh crust/subtidal zone received by the City since the preparation of the initial map or last update.

13-56.4 Exception to Permit Requirement.

- a. No permit shall be required under this Section 13-56 for pile driving or other penetration of the marsh crust/subtidal zone that involves neither (i) bringing materials from below the threshold depth to above the threshold depth; nor (ii) exposure of construction workers to soil excavated from below the threshold depth.
- b. No permit shall be required under this Section 13-56 for excavation associated with emergency repair of public infrastructure facilities; provided, however, that soil excavated from below the threshold depth in the area of the marsh crust/subtidal zone, as depicted on Exhibit A, must be managed as though it were hazardous in accordance with Subsection 13-56.8b.

13-56.5 Permit Application.

Application for a permit shall be made in writing on forms available in or from the Building Services Office and shall be filed in the Building Services Office. Subsection 13-1.2 of Article I of Chapter XXIII regarding Appeals (Section 105.1), Appeal Fee (Section 105.2), Expiration (Section 106.4.4), Permit Fees (Section 107.2) and Plan Review Fees (Section 107.3) shall apply to all permits issued pursuant to this Section 13-56. The information required to be provided on the application shall be determined by the Chief Building Official and shall include at a minimum:

- a. A description and map of the property that is to be excavated sufficient to locate the area of proposed excavation on Exhibit A.
- b. Detailed plans, prepared by a registered civil engineer licensed in the State of California, of the excavation work to be done, including a drawing with dimensions to scale of all proposed excavation activity.
- c. A statement of the maximum depth of excavation.
- d. All elevations in plans and application materials submitted to the City shall be referenced to City Datum and shall show depth below ground surface.
- e. A cost estimate for purposes of determining the amount of the bond required to be obtained pursuant to Subsection 13-56.11.

13-56.6 Certifications and Acknowledgments.

- a. The following certifications shall be required as part of the permit application:
 1. The applicant shall sign a certification prepared by the Chief Building Official acknowledging receipt of notice that the property to be excavated may be in the area of the marsh crust/subtidal zone, and that hazardous materials may be encountered during excavation.
 2. The applicant shall sign a certification prepared by the Chief Building Official acknowledging that federal and state hazardous materials laws and regulations will apply to storage, transportation and disposal of any materials excavated from the marsh crust/subtidal zone that are hazardous materials.
 3. The applicant shall sign a certification prepared by the Chief Building Official acknowledging liability for disturbing and removing all materials from the marsh crust/subtidal zone in accordance with this Section 13-56 and the permit.

- b. All building and excavation permits issued for construction or excavation within the area subject to this SubSection 13-56 shall contain the following written warning:

“Pursuant to Section 13-56 of Article XVII of Chapter XIII of the Alameda Municipal Code, excavation work in the area of the marsh crust/subtidal zone within the area of the former Naval Air Station Alameda and Fleet and Industrial Supply Center, Alameda Annex and Facility, as depicted in Exhibit A to Section 13-56 of Article XVII of Chapter XIII of the Alameda Municipal Code, may be subject to special materials handling requirements. The permittee acknowledges that he or she has been informed of the special materials handling requirements of Section 13-56 of Article XVII of Chapter XIII of the Alameda Municipal Code and that hazardous materials may be encountered during excavation.”

13-56.7 Notification Prior to Start of Excavation.

- a. After receipt of a permit and no less than two (2) business days (forty-eight (48) hours minimum) before commencement of any excavation activity in the area subject to this Section 13-56, the permittee shall notify the Chief Building Official of the planned start of excavation. Said notification shall include a schedule for any excavation work that will last for more than one day.
- b. The permittee shall give adequate notice to Underground Service Alert prior to commencing any excavation activity subject to this Section 13-56.

13-56.8 Materials Handling.

The permittee shall elect to follow one or more of the courses of action set forth below before beginning any excavation activities in the area subject to this Section 13-56. Unless otherwise demonstrated by the permittee by means of reconnaissance investigation pursuant to Subsection 13-56.8a, or unless the permittee prepares site management plans pursuant to Subsection 13-56.8c, soil below the threshold depth in the area of the marsh crust/subtidal zone, as depicted on Exhibit A, must be managed as though it were hazardous pursuant to Subsection 13-56.8b. The permittee may elect to follow Subsection 13-56.8a, but must comply with Subsection 13-56.8b or 13-56.8c if testing demonstrates that the materials below the threshold depth are hazardous materials. Copies of all reconnaissance testing results and/or existing information used to satisfy the reconnaissance investigation requirements of Subsection 13-56.8a shall be reported to and filed with the City. All observations or encounters with the marsh crust/subtidal zone during excavation shall be reported to the City.

- a. **Reconnaissance Investigation to Rule Out the Presence of Hazardous Materials Below the Threshold Depth.**

The permittee may elect to use reconnaissance borings, pursuant to a plan prepared by a qualified registered engineer or registered geologist, licensed in the State of California, to rule out, to the satisfaction of the Chief Building Official, the presence of hazardous materials below the threshold depth in the area to be excavated. As part or all of the reconnaissance plan, the permittee may make use of existing information, where appropriate, if the existing information is directly relevant to the location and depth to be excavated and contains observations or results of analyses that assist in concluding whether hazardous materials are present. The reconnaissance report shall include a description of all observations from below the threshold depth evidencing the presence or absence of the marsh crust/subtidal zone.

1. If hazardous materials are found below the threshold depth within the area to be excavated at any time (during reconnaissance or during excavation), the permittee shall comply with either Subsection 13-56.8b or Subsection 13-56.8c, at his or her election.
2. If hazardous materials are not found below the threshold depth within the area to be excavated, no additional materials controls, except as otherwise may be required under applicable federal, state or local law, are required under this Section 13-56.

b. Handling Materials Excavated From Below the Threshold Depth as Hazardous Materials.

If the permittee has not ruled out the presence of hazardous materials pursuant to Subsection 13-56.8a, or elects not to prepare a site management plan and materials testing program pursuant to Subsection 13-56.8c, the permittee shall presume that materials excavated from below the threshold depth must be disposed at an appropriately permitted disposal facility. In addition, no excavated materials from below the threshold depth may be stockpiled prior to disposal or returned to the excavation.

c. Preparation of Construction Site Management Plan for Handling Materials Excavated From Below the Threshold Depth.

1. In lieu of handling materials excavated from below the threshold depth pursuant to the restrictions in Subsection 13-56.8b, the permittee may elect to hire a qualified registered engineer or registered geologist, licensed in the State of California, to develop a site-specific construction site management plan, including a materials testing program, to the satisfaction of the Chief Building Official. The construction site management plan shall include, at a minimum, provisions governing control of precipitation run on and run off from stockpiled soils, soil segregation, securing of stockpiled soils, duration of stockpiling, and contingency plans for handling materials excavated from below the threshold depth that prove to be hazardous materials.

2. The permittee shall hire a qualified registered engineer or registered geologist, licensed in the State of California, to oversee compliance with the approved construction site management plan, and shall transmit to the Chief Building Official upon completion of the project written certification of compliance with the construction site management plan. The certification report shall include a description of all observations from below the threshold depth evidencing the presence or absence of the marsh crust/subtidal zone.

13-56.9 Health and Safety Plan.

The applicant shall cause to be prepared by a certified industrial hygienist, and keep on the construction site at all times, a health and safety plan to protect workers at the excavation site and the general public to the satisfaction of the Chief Building Official. The Chief Building Official may prepare and provide to applicants a model health and safety plan which, if used by the applicant, shall be modified by the applicant's certified industrial hygienist to suit the specific requirements of the applicant's project.

13-56.10 Excavation Site Best Management Practices.

All excavation and materials handling activities permitted under this Section 13-56 shall be conducted in accordance with applicable Alameda Countywide Clean Water Program Best Management Practices and City of Alameda Storm Water Management and Discharge Control Program Ordinance requirements.

13-56.11 Bonds.

Upon a finding by the Chief Building Official that a permit should issue for excavation pursuant to this Section 13-56, a surety or performance bond conditioned upon the faithful performance and completion of the permitted excavation activity shall be filed with the City. Such bond shall be executed in favor of the City and shall be maintained in such form and amounts prescribed by the Risk Manager sufficient to ensure that the work, if not completed in accordance with the approved plans and specifications, will be corrected to eliminate hazardous conditions.

13-56.12 Nonassumption of Liability.

In undertaking to require applicants for certain excavation permits to comply with the requirements of this Section 13-56, the City of Alameda is assuming an undertaking only to promote the general welfare. The City is not assuming, nor is it imposing on itself or on its officers and employees, an obligation for breach of which it is liable in money damages to any person who claims that such breach proximately caused injury.

13-56.13 Construction on City Property.

- a. The Chief Building Official shall prepare standard work procedures that comply with all the requirements of this Section 13-56 for all City

construction or improvement activities involving excavation below the threshold depth in the area subject to this Section 13-56. All departments, boards, commissions, bureaus and agencies of the City of Alameda that conduct construction or improvements on land under their jurisdiction involving excavation below the threshold depth in the area subject to this Section 13-56 shall follow such standard work procedures.

- b. The City shall include in all contracts involving excavation below the threshold depth in the area subject to this Section 13-56 a provision requiring City contractors to comply with all the requirements of this Section 13-56. All contracts entered into by departments, boards, commissions, bureaus and agencies of the City of Alameda that authorize construction or improvements on land under their jurisdiction involving excavation below the threshold depth in the area subject to this Section 13-56 also shall contain such standard contract provision.

13-56.14 Severability.

If any section, subsection, subdivision, paragraph, sentence, clause or phrase of this Section 13-56 or any part thereof is for any reason held to be unconstitutional or invalid or ineffective by any court of competent jurisdiction, such decision shall not affect the validity or effectiveness of the remaining portions of this Section 13-56 or any part thereof. The City Council hereby declares that it would have passed each section, subsection, subdivision, paragraph, sentence, clause or phrase of this Section 13-56 irrespective of the fact that one or more sections, subsections, subdivisions, paragraphs, sentences, clauses or phrases be declared unconstitutional or invalid or effective.

13-56.15 Permit Fee.

No permits for excavation in the marsh crust/subtidal zone shall be issued unless a fee has been paid. The fee shall be set by City Council resolution.

13-56.16 Penalties.

- a. Any person, including utility companies and their employees and contractors, violating any of the provisions of this Section 13-56 shall be deemed guilty of a misdemeanor, and each person shall be deemed guilty of a separate offense for each and every day or portion thereof during which any violation of any of the provisions of this Section 13-56 is committed, continued or permitted, and such violation may be prosecuted and punished as an infraction or misdemeanor pursuant to the provisions of Section 1-5.1 of the Alameda Municipal Code.

- b. Any person, including utility companies and their employees and contractors, that commences any excavation without first obtaining the necessary permits therefor shall, if subsequently allowed to obtain a permit, pay an amount, in

addition to the ordinary permit fee required, quadruple the permit fee otherwise required.


13-56.17 Retention and Availability of Permit Files


The City shall maintain files pertaining to all permits issued under this Section 13-56, and shall make such files available to DTSC for inspection upon request during normal business hours.


13-56.18 Amendment of Section 13-56

This Section 13-56 shall not be repealed or amended without thirty (30) days prior written notice to the DTSC Deputy Director for Site Mitigation.

Section 2. This Ordinance shall be in full force and effect from and after the expiration of thirty (30) days from the date of its final passage.


Presiding Officer of the City Council

Attest:

City Clerk



Oakland Inner Harbor

Marsh Crust / Subtidal Area

LEGEND
 Marsh Crust / Subtidal Area

Approximate Beach Line

I, the undersigned, hereby certify that the foregoing Ordinance was duly and regularly adopted and passed by the Council of the City of Alameda in regular meeting assembled on the 15th day of February, 2000, by the following vote to wit:


AYES: Councilmembers Daysog, DeWitt, Johnson, Kerr and Mayor Appezzato - 5.

NOES: None.

ABSENT: None.

ABSTENTIONS: None.

IN WITNESS, WHEREOF, I have hereunto set my hand and affixed the official seal of said City this 16th day of February, 2000.


Diane Felsch, City Clerk
City of Alameda

1. The first part of the document is a letter from the Secretary of the Department of the Interior to the Chairman of the Senate Committee on Energy and Natural Resources, dated October 1, 1974. The letter discusses the Department's efforts to improve the management of the public lands and the progress of the National System of Public Lands Administration.

2. The second part of the document is a report titled "The National System of Public Lands Administration" prepared by the Department of the Interior. This report provides a comprehensive overview of the current state of public lands management and outlines the Department's strategic goals and proposed actions.

3. The third part of the document is a report titled "The National System of Public Lands Administration" prepared by the Department of the Interior. This report provides a comprehensive overview of the current state of public lands management and outlines the Department's strategic goals and proposed actions.

4. The fourth part of the document is a report titled "The National System of Public Lands Administration" prepared by the Department of the Interior. This report provides a comprehensive overview of the current state of public lands management and outlines the Department's strategic goals and proposed actions.

5. The fifth part of the document is a report titled "The National System of Public Lands Administration" prepared by the Department of the Interior. This report provides a comprehensive overview of the current state of public lands management and outlines the Department's strategic goals and proposed actions.

6. The sixth part of the document is a report titled "The National System of Public Lands Administration" prepared by the Department of the Interior. This report provides a comprehensive overview of the current state of public lands management and outlines the Department's strategic goals and proposed actions.

7. The seventh part of the document is a report titled "The National System of Public Lands Administration" prepared by the Department of the Interior. This report provides a comprehensive overview of the current state of public lands management and outlines the Department's strategic goals and proposed actions.