

AB.	ANCHOR BOLT	H.M.	HOLLOW METAL
ACT.	ACOUSTIC CEILING TILE	HR.	HOOR
A.F.F.	ABOVE FINISHED FLOOR	HT.	HEIGHT
AGGR.	AGGREGATE	HVAC	HEATING, VENTILATION AND AIR CONDITIONING
AL.	ALUMINUM		INSIDE DIAMETER
ALT.	ALTERNATE	I.D.	INSULATION
APPROX.	APPROXIMATE	INSUL.	INTERIOR
ARCH.	ARCHITECTURAL	INT.	JANITOR
BD.	BOARD	JAN.	JOINT
BLDG.	BUILDING	JNT.	JOIST
BLK.	BLOCK	JST.	KITCHEN
BLK'G.	BLOCKING	KIT.	LABORATORY
BM.	BEAM	LAB.	LAMINATE
BOT.	BOTTOM	LAM.	LAVATORY
BTWN.	BETWEEN	LAV.	LIGHT
B.U.R.	BUILT UP ROOFING	LT.	MAXIMUM
B.W.	BOTH WAYS	MAX.	MECHANICAL
C.J.	CONTROL JT.	MECH.	MEMBRANE
CLG.	CEILING	MEMB.	MANUFACTURER
CLKG.	CAULKING	MFR.	MANHOLE
CLR.	CLEAR	M.H.	MINIMUM
C.M.U.	CONCRETE MASONRY UNIT	MIN.	MISCELLANEOUS
COL.	COLUMN	MISC.	MASONRY OPENING
CONC.	CONCRETE	M.O.	METAL
CONN.	CONNECTION	MTL.	MULLION
C.T.	CERAMIC TILE	MUL.	NORTH
CONSTR.	CONSTRUCTION	N	NOMINAL
CONT.	CONTINUOUS	NOM.	NOT IN CONTRACT
DEG.	DEGREE	N.I.C.	NOT TO SCALE
DET./DTL.	DETAIL	N.T.S.	NUMBER
D.F.	DRINKING FOUNTAIN	NO.	ON CENTER
DIAG.	DIAGONAL	O.C.	ON CENTER EACH WAY
DIA.	DIAMETER	O.C.E.W.	OUTSIDE DIAMETER
DN.	DOWN	O.D.	OVERHEAD
DS.	DOWNSPOUT	OH.	OPENING
DWG.	DRAWING	OPG.	OPPOSITE
E	EAST	OPP.	PRE-CAST
(E)	EXISTING	PCT.	PROPERTY LINE
EA.	EACH	P.L.	PLASTIC LAMINATE
E.J.	EXPANSION JOINT	P.LAM.	PLASTER
E.I.F.S.	EXTERIOR INSULATION AND FINISH SYSTEM	PLAS.	PLYWOOD
EL,ELEV.	ELEVATION	PLYWD.	PAIR
ELEC.	ELECTRICAL	PR.	QUARRY TILE
ELEV.	ELEVATION	Q.T.	RISER
EMER.	EMERGENCY	R.	ROOF DRAIN
ENCL.	ENCLOSURE	R.D.	REFER TO...
EQ.	EQUAL	RE:	REFRIGERATOR
EQUIP.	EQUIPMENT	REFR.	REINFORCED
E.W.	EACH WAY	REINF.	REQUIRED
E.W.C.	ELECTRIC WATER COOLER	REQ'D.	ROOM
EXP.	EXPANSION	RM	ROUGH OPENING
EXT.	EXTERIOR	REINF.O.	SOUTH
F.A.	FIRE ALARM	S	SOLID CORE
F.D.	FLOOR DRAIN	S.C.	SCHEDULE
F.D.C.	FIRE DEPARTMENT CONNECTION	SCHED.	SECTION
FDN.	FOUNDATION	SECT.	SQUARE FOOT
F.A.	FIRE EXTINGUISHER	S.F.	SHEET
F.A.C.	FIRE EXTINGUISHER CABINET	SHT.	SIMILAR
F.B.	FINISH FLOOR	SIM.	SPECIFICATION
F.H.C.	FIRE HOSE CABINET	SPEC.	SQUARE
FIN.	FINISH	SQ.	STAINLESS STEEL
F.L.	FLOW LINE	S.S.	STAGGERED
FLR.	FLOOR	STAGG.	STANDARD
FLUOR.	FLUORESCENT	STD.	STIFFENER
FND.	FOUNDATION	STIFF	STEEL
F.O.B.	FACE OF BRICK	STL.	STRUCTURAL
F.O.C.	FACE OF CONCRETE	STRUC.	SUSPENDED
F.S.	FULL SIZE	SUSP.	TREAD
FT.	FOOT OR FEET	TR	TOP AND BOTTOM
FTG.	FOOTING	T&B	TERRAZZO
FURR.	FURRING	TER.	TONGUE & GROOVE
GA.	GAUCE	T&G	THICK
GALV.	GALVINIZED	THK.	TOP OF
G.C.	GENERAL CONTRACTOR	T/	TYPICAL
G.L.	GLASS	TYP.	UNLESS OTHERWISE NOTED
GR.	GRADE	U.O.N.	VINYL COMPOSITION TILE
GYP.	GYPSUM	VCT	VERIFY
GYP.BD.	GYPSUM BOARD	VER	VERTICAL
H.B.	HOSE BIBB	VERT.	WEST
H.C.	HOLLOW CORE	W	WITH
H/C	HANDICAPPED	W/	WATER CLOSET
HDWD.	HARDWOOD	W.C.	WOOD
HDWE.	HARDWARE	WD.	WITHOUT
		W/O	

1. ALL EXTERIOR CONCRETE LANDINGS TO BE 1" BELOW FLOOR. SLOPE FOR DRAINAGE 1/8:12 MIN. (36" MIN.)
2. PATIO CONC. SLAB TO SLOPE 1/8:12 FOR DRAINAGE. TYP.
3. ALL EXTERIOR WALLS AND WALLS BETWEEN HOUSE AND GARAGE TO HAVE R-19 INSULATION MINIMUM - SEE ENERGY CALCULATION SHEET.
4. AT OUTSWINGING DOORS PROVIDE TAMPER-RESISTANT HINGE PINS, SINGLE-KEYED DEADBOLTS, AND PLATED. STEEL PLATE OVER STRIKE PLATE AREA FOR ADDED SECURITY. SHATTERPROOF GLASS ALSO RECOMMENDED NEAR LOCKS.
5. ATTIC ACCESS DOOR TO BE MINIMUM 22"x30" PER CBC. PROVIDE 20 MIN. RATED OR 1-3/8" SOLID, SELF-CLOSING ACCESS DOOR.
6. VERIFY ALL ROUGH OPENING SIZES BEFORE CONSTRUCTION. (TYP.)
7. PROVIDE COMBUSTION AIR VENTS FOR ENCLOSED WATER HEATER & F.A.U. PER CBC.
8. WATER HEATER WITH INSULATED LINES. SHALL BE STRAPPED OR ANCHORED TO RESIST HORIZONTAL DISPLACEMENT AS PER CPC PROVIDE SUFFICIENT ACCESS & WORKING SPACE TO WATER HEATER PER UPC.
9. PROVIDE PRESSURE RELIEF VALVE @ WATER HEATER THAT SHALL DISCHARGE AT EXTERIOR OF BUILDING POINTING DOWN WITHIN 24" I 6" ABOVE GROUND PER UPC
10. WATER HEATERS GENERATING A SPARK OR FLAME MAY BE INSTALLED IN A GARAGE PROVIDED THE PILOTS, BURNERS OR HEATING ELEMENTS ARE AT LEAST 18" ABV. THE FLOOR PER U.P.C. SECTION 510.1 AND UMC SECTION 308.
11. TUBS AND SHOWERS TO HAVE INDIVIDUAL CONTROL VALVES OF THE PRESSURE BALANCE OR THERMOSTATIC MIX TYPE (ANTI-SCALD) PER UPC.
12. PROVIDE ACCESS TO ANY WHIRLPOOL TUBS PUMP MOTOR AS PER UPC.
13. PROVIDE 30" (W) MIN. & 24" IN FRONT MIN. CLEAR FOR ALL TOILETS.
14. WATER CLOSETS TO HAVE MAX. 1.6 GAL. FLUSHING CAPACITY.
15. FIRE BLOCK & DRAFT STOPS PER CBC.
16. WINDOWS SHALL COMPLY WITH TITLE 24 CALLS. REGARDING ENERGY STANDARDS.
17. BEDROOM WINDOW EGRESS TO BE 5.7 SF CLEAR, MINIMUM 24"(11),(20)"(W) WITH SILL 44" MAX A.F.F.
18. PROVIDE TEMPERED GLAZING PER CBC.
19. PROVIDE MANUFACTURER'S INSTALLATION SPECIFICATIONS AND PRODUCT LISTINGS FOR PREMANUFACTURED FIREPLACE(S) TO BUILDING INSPECTOR PRIOR TO INSTALLATION. ICC# ECC-5677, CONTRACTOR TO VERIFY.
20. PROVIDE TWO LAYERS 5/8" TYPE "X" GYP. BOARD ON THE GARAGE SIDE AT WALLS AND CEILING BETWEEN THE GARAGE AND THE DWELLING PER U.B.C. SECTION 302.4
21. PROVIDE EXHAUST VENTING OF WATER HEATER PER UPC SECTIONS 512525. WATER HEATER TO BE 75 GALLONS
22. PROVIDE A CLEAR PATH FROM THE ATTIC ACCESS OPENING TO THE ATTIC FURNACE UNIT TO ACCOMMODATE THE LARGEST PIECE OF EQUIPMENT BUT NOT SMALLER THAN 30"x30"
23. THE PASSAGEWAY FROM ACCESS OPENING TO THE UNIT SHALL NOT EXCEED 20 FEET AS MEASURED ALONG THE CENTER LINE OF THE PASSAGEWAY. THE PASSAGEWAY SHALL BE UNOBSTRUCTED AND SHALL HAVE CONTINUOUS SOLID FLOORING NOT LESS THAN 24" IN WIDTH FROM THE ACCESS OPENING TO THE UNIT.
24. PROVIDE A MINIMUM 30"x30" WORKING PLATFORM IN FRONT OF THE FIREBOX SIDE OF THE UNIT AND IF THE FURNACE CONTROLS ARE NOT ACCESSIBLE FROM THIS SIDE OF THE UNIT A MINIMUM 24" WIDE PLATFORM SHALL BE PROVIDED FROM THE FIREBOX PLATFORM TO THE CONTROLS. A WORKING PLATFORM NEED NOT BE REQUIRED WHEN THE FIREBOX AND CONTROLS CAN BE ACCESSED DIRECTLY FROM THE ACCESS OPENING.
25. ALL 3/4" OR LARGER HOT WATER LINES TO BE INSTALLED WITH R-4 OR GREATER UNDER SLAB AND WITHIN WALLS PER ENERGY CALCULATIONS.
26. ALL GLASS DOORS TO BE TEMPERED.

CBC EDITION	2016
CFC EDITION	2016
CMC EDITION	2016
CEC EDITION	2016
CPC EDITION	2016
ENERGY EFFICIENCY STANDARS	2015-TITLE 24

A map of West Alameda, California, highlighting the Alameda Beltline in green. The map shows a grid of streets including Webster St, Lincoln Ave, Haight Ave, Buena Vista Ave, and Eagle Ave. A green arrow points to the intersection of Buena Vista Ave and Eagle Ave. To the north is the Marina Village Shopping Center. To the east are the Encinal Basin and Fortmann Basin. The text 'WEST ALAMEDA' is written in large brown letters. Map data is attributed to ©2017 Google.

[illegible]

 SECTION:
SECTION LETTER
SHEET NUMBER

 GRID LINE

 ELEVATION TAG

 DRAWING NUMBER
 SHEET NUMBER

 DRAWING SUB-LETTER
 DETAIL NUMBER
 SHEET NUMBER

PL _____
 CENTER LINE _____
 PL _____
 PROPERTY LINE _____

_____ 1' DN. CHANGE IN ELEVATION
 _____ 12 _____ ROOF SLOPE INDICATION
 _____ 5 _____

 SPOT ELEVATION
 REVISION

 NORTH DESIGNATION

OWNERS:	HAIHUA KUANG 1822 BAY STREET ALAMEDA, CA 94501
ZONING DISTRICT:	R-2
A.P.N.:	# 072-0365-021-00
SETBACK REQUIREMENTS:	FRONT 20FT SIDE 5FT REAR 20FT
CONSTRUCTION TYPE:	VB
NUMBER OF STORIES:	TWO

(E) UNIT 1: 788 SQ. FT
(E) UNIT 2: 869 SQ. FT
(E) UNIT 3: 633 SQ. FT
(E) UNIT 4: 779 SQ. FT

TOTAL = 3069 SQ. FT

UNITS SQ. FT. AFTER REMODEL AND 2 FLOOR ADDITION:

(E) UNIT 1: 817 SQ. FT
(E) UNIT 2: 629 SQ. FT
(E) UNIT 3: 753 SQ. FT
(E) UNIT 4: 988 SQ. FT

TOTAL = 3187 SQ. FT

SECOND FLOOR ADDITION = 385 SQ. FT

INTERIOR REMODEL OF EXISTING BUILDING FOUR UNITS, 385 SQ. FT. SECOND FLOOR ADDITION ,
RESTORE THE GARAGE TO ORIGINAL LOCATION 242 SQ. FT AND GENERAL BUILDING
RESTORATION.

[illegible]



TIM CHU CONST. / DESIGN DEPT. DIRECTOR
HENG YUEN ENGINEERING GROUP INC
333 Hegenberger rd., Suite 200
Oakland, CA 94621
Email: timchu2847@gmail.com
Phone: 925-708-8321

Hendrik Van De Pol, P.E.
consulting engineer Civil
CA C 15472
2225 Livingston Lane
Stockton, Cal 95210
209-474-9821
hvdutchhenk@aol.com

PROJECT TITLE:
HAIHUA KUANG RESIDENCE:
1822 Bay Street.
Alameda, Calif. 94501
510-338-8877

COVER SHEET

DRAWN CGA
CHECKED TCH
DATE 08-12-17
SCALE
JOB NO.
SHEET
A-0
OF
SHEETS





REVISIONS		BY
REVISION		
BY:	LINDA BARRERA	
PLANNING DEPARTMENT PLAN	JUNE 06-2017	

Hendrik Van De Pol, P.E.
consulting engineer Civil - CA C
15472
2225 Livingston Lane
Stockton, Cal 95210
209-474-9821
hvdutchthcn@aol.com

PROJECT TITLE:
HAIHUA KUANG RESIDENCE:
1822 Bay Street,
Alameda, Calif. 94501
510-338-8877

EXISTENT & PROPOSED SITE PLANS

DRAWN
CGA
CHECKED
TCH
DATE
08-12-17
SCALE
JOB NO.
SHEET
A-1



TIM CHU CONSULT. / DESIGN DEPT. DIRECTOR
HENG YUEN ENGINEERING GROUP INC
3333 Hegenberger rd., Suite 200
Oakland, CA 94621
Email: timchu2847@gmail.com
Phone: 925-708-8321

Hendrik Van De Pol, P.E.,
consulting engineer Civil - CA C
15472
2225 Livingston Lane
Stockton, Cal 95210
209-474-9821
hvdutchhenk@aol.com



PROJECT TITLE:
HAIHUA KUANG RESIDENCE:
1822 Bay Street.
Alameda, Calif. 94501
510-338-8877

**EXISTENT &
PROPOSED SITE
LOWER PLANS**

DRAWN
CGA
CHECKED
TCH
DATE
08-12-17
SCALE
JOB NO.
SHEET
A-2
OF
SHEETS



DRAWN CGA
CHECKED TCH
DATE 04-12-17
SCALE
JOB NO.
SHEET
A-3
OF
SHEETS



REVISIONS	BY
REVISION	
BY: LINDA BARRERA	
PLANNING DEPARTMENT	
PLANJUNE 06-2017	

TIM CHU CONST. / DESIGN DEPT. DIRECTOR
HENG YUEN ENGINEERING GROUP INC
333 Hegenberger rd., Suite 200
oakland, CA 94621
Email: timchu2847@gmail.com
Phone: 925-708-8321

Hendrik Van De Pol, P.E.
consulting engineer Civil - CA C
15472
2225 Livingston Lane
Stockton, Cal 95210
209-474-9821
hvdutchhenk@aol.com


PROJECT TITLE:
HAIHUA KUANG RESIDENCE:
1822 Bay Street.
Alameda, Calif. 94501
510-338-8877

EXISTENT &
PROPOSED NORTH
ELEVATIONS

DRAWN CGA
CHECKED TCH
DATE 08-12-17
SCALE
JOB NO.
SHEET
A-4
OF SHEETS



EXISTING SOUTH ELEVATION
SCALE: 1/4=1'-0"



PROPOSED SOUTH ELEVATION
SCALE: 1/4=1'-0"

REVISIONS	BY
REVISION	
BY: LINDA BARRERA	
PLANNING DEPARTMENT	
PLAN JUNE 06-2017	


TIM CHU CONST. / DESIGN DEPT. DIRECTOR
HENG YUEN ENGINEERING GROUP INC
333 Hegenberger rd., Suite 200
Oakland, CA 94621
Email: timchu2847@gmail.com
Phone: 925-708-8321

Hendrik Van De Pol, P.E.
consulting engineer Civil - CA C
15472
2225 Livingston Lane
Stockton, Cal 95210
209-474-9821
hvdutchhenk@aol.com

PROJECT TITLE:
HAIHUA KUANG RESIDENCE:
1822 Bay Street.
Alameda, Calif. 94501
510-338-8877

EXISTENT &
PROPOSED SOUTH
ELEVATIONS

DRAWN CGA
CHECKED TCH
DATE 08-12-17
SCALE
JOB NO.
SHEET
A-5
OF SHEETS



EXISTING FRONT ELEVATION
SCALE: 1/4=1'-0"



NEW FISH SCALE ON FRONT ELEVATION
GRAY COLOR


REMOVE SIDING BELOW FASCIA AND
RESTORE ORIGINAL WOOD BRACKETS

18'-2" CEILING H.

24'-6"

9'-2" UPPER FLOOR

1'-0" LOWER FLOOR




PROPOSED FRONT ELEVATION
SCALE: 1/4=1'-0"



Marvin Windows Single Hung
Standard Specifications
One-lite Low E2 with argon insulating glass
White color sash lock
Bare wood interior
All-wood brick mould casing (wood units)
8" sill bevel
DP40 performance rating



Marvin Windows
Casement




EXISTING REAR ELEVATION
SCALE: 1/4=1'-0"



Marvin Windows
Awning

ALL EXISTING ARCHITECTURAL DETAILS TO
REMAIN OR RESTORE IN PROPOSED EXTERIOR
ELEVATIONS(WINDOWS, CORBELS, TRIMS, MOLDINGS
BRACKETS)



REMOVE EXISTING CEMENT SIDING SHINGLES ON
WALL AND REMAIN ORIGINAL HORIZONTAL WOOD SIDING
ON WALLS.(CHANNEL RUSTIC)



BRACKET DETAIL TO BE RESTORED




ORIGINAL REDWOOD SIDING TO BE
RESTORED



NEW FISH SCALES ON FRONT
ELEVATION ON THIS AREA

FRONT ELEVATION (E) WINDOW DETAIL



FRONT ELEVATION ALL WINDOWS TO BE NEW MATCH WITH
EXISTING WINDOWS DESIGN




FRONT ELEVATION PORCH COLUMN DETAIL
SEE DETAIL SHEET A-8



FRONT ELEVATION (E) WINDOW DETAIL



FRONT ELEVATION (E) CORBEL DETAIL VIEW



(E) MOLDING DETAIL MISSING IN RIGHT ELEVATION TO BE
RESTORE

REVISIONS	BY
BY: LINDA BARRERA	
PLANNING DEPARTMENT	
PLAN/JUNE 06-2017	

TIM CHU CONST./DESIGN DEPT DIRECTOR
HENG YUEN ENGINEERING GROUP INC
333 Hegenberger rd., Suite 200
Oakland, CA 94621
Email: timchu2847@gmail.com
Phone: 925-708-8321


Hendrik Van De Pol, P.E.
consulting engineer Civil - CA C
15472
2225 Livingston Lane
Stockton, Cal 95210
209-474-9821
hvdutchhenk@aol.com

PROJECT TITLE:
HAIHUA KUANG RESIDENCE:
1822 Bay Street.
Alameda, Calif. 94501
510-338-8877


EXISTENT &
PROPOSED SOUTH
ELEVATIONS

DRAWN CGA
CHECKED TCH
DATE 08-12-17
SCALE
JOB NO.
SHEET
A-6

OF SHEETS



CROSS SECTION 2
SCALE: 1/4=1'-0"



CROSS SECTION 1
SCALE: 1/4=1'-0"

REVISIONS	BY
REVISION 	
BY: LINDA BARRERA	
PLANNING DEPARTMENT	
PLANJUNE 06-2017	


TIM CHU	CONST. / DESIGN DEPT. DIRECTOR
HENG YUEN ENGINEERING GROUP INC	
333 Hegenberger rd., Suite 200	
oakland, CA 94621	
Email: timchu2847@gmail.com	
Phone: 925-708-8321	

Hendrik Van De Pol, P.E.	
consulting engineer Civil - CA C	
15472	
2225 Livingston Lane	
Stockton, Cal. 95210	
209-474-9821	
hvdutchhenk@aol.com	


PROJECT TITLE:	
HAIHUA KUANG RESIDENCE:	
1822 Bay Street.	
Alameda, Calif. 94501	
510-338-8877	

PROPOSED	
CROSS	
SECTIONS	


DRAWN	
CGA	
CHECKED	
TCH	
DATE	
08-12-17	
SCALE	
JOB NO.	
SHEET	
A-7	
OF	
SHEETS	




ELEVATION KITCHEN #1 #3
SCALE: 1/4=1'-0"




ELEVATION KITCHEN #2 #4
SCALE: 1/4=1'-0"






ELEVATION BATH #2 #4
SCALE: 1/4=1'-0"



ELEVATION BATH #1
SCALE: 1/4=1'-0"




ELEVATION BATH #3
SCALE: 1/4=1'-0"



DETAIL POST
SCALE: 1-1/2=1'

WINDOWS SCHEDULE					
#	LOCATION	TYPE	H	W	TEMP
1	LIVING ROOM #1	SH	2'-11" x	4'-6"	
2	LIVING ROOM #1	SH	2'-10" x	4'-6"	
3	DINING #1	FIXED	4'-6" x	3'-6"	
4	NOT USED				
5	BEDROOM # 1A	double Casement	5'-7" x	4'-6"	
5A	BEDROOM 2B	Awning	5'-6" x	3'-2"	
6	NOT USED				
7	BATH #2	SH.	2'-9" x	2'-6"	
8	NOT USED				
9	NOT USED				
10	NOT USED				
11	LIVING ROOM #2	SH	2'-4" x	4'-6"	
12	LIVING ROOM #2	CASEMENT	2'-10" x	4'-6"	
13	LIVING ROOM #2	SH	2'-9" x	4'-6"	
14	NOT USED				
15	BED ROOM #2	CASEMENT& SH EGRESS	5'-0" x	4'-6"	
16	BEDROOM 1B	CASEMENT& SH EGRESS	5'-0" x	4'-6"	
17	BED ROOM #1B	CL. F	1'-9" x	2'-5"	
18	BEDROOM 3B	CASEMENT& SH EGRESS	5'-0" x	4'-6"	
19	LIVING ROOM #3	SH	2'-11" x	4'-6"	
20	LIVING ROOM #3	SH	2'-10" x	4'-6"	
21	LIVING ROOM #3	CASEMENT	3'-0" x	5'-6"	
22	DINING #3	CASEMENT	4'-6" x	3'-6"	
23	DINING #3	SH	3'-0" x	4'-6"	
24	BATH #3	SH	1'-8" x	4'-6"	
25	BED ROOM #3A	CASEMENT	2'-8" x	3'-10"	
26	NOT USED				
27	BATH #4	SH	2'-8" x	3'-10"	
28	KITCHEN #4	F	2'-4" x	2'-6"	
29	DINING #4	SH	2'-4" x	5'-6"	
30	DINING #4	FIXED	4'-6" x	5'-6"	
31	DINING #4	SH	2'-4" x	5'-6"	
32	LIVING ROOM #4	SH	3'-0" x	5'-6"	
33	OFFICE	SH	3'-0" x	5'-2"	
34	OFFICE	SH	4'-4" x	5'-2"	
35	OFFICE	SH	3'-0" x	5'-2"	
36	BEDROOM 4B	SH	5'-0" x	4'-6"	



DOOR SCHEDULE					
#	LOCATION	TYPE	W	H	LOCK TYPE
1	LIVING #1	B	2'-11" x	6'-8"	
2	BATH #1	B	2'-10" x	6'-8"	
3	BEDROOM #1B	B	2'-6" x	6'-8"	
4	BEDROOM #1B	E	5'-2" x	6'-8"	
5	BEDROOM #1B	B	3'-0" x	6'-8"	
6	BEDROOM #1A	B	3'-0" x	6'-8"	
7	BEDROOM #1A	B	3'-0" x	6'-8"	
8	GARAGE	B	3'-0" x	6'-8"	
9	BEDROOM #2B	B	3'-0" x	6'-8"	
10	BEDROOM #2B	F	7'-6" x	6'-8"	
11	BEDROOM #2A	B	2'-6" x	6'-8"	
12	BEDROOM #2B	E	5'-2" x	6'-8"	
13	BATH #2	B	2'-10" x	6'-8"	
14	LIVING #2	B	2'-11" x	6'-8"	
15	LIVING #3	B	3'-0" x	6'-8"	
16	LIVING #3	E	3'-0" x	6'-8"	
17	BATH #3	B	2'-10" x	6'-8"	
18	BEDROOM #3A	B	2'-10" x	6'-8"	
19	BEDROOM #3B	B	2'-10" x	6'-8"	
20	BEDROOM #3A	E	4'-4" x	6'-8"	
21	BEDROOM #4A	B	3'-0" x	6'-8"	
22	BEDROOM #4B	B	3'-0" x	6'-8"	
23	BATH #4	E	4'-7" x	6'-8"	
24	BATH #4	B	2'-10" x	6'-8"	
25	NOT USED				
26	NOT USED				
27	LIVING #4	B	3'-0" x	6'-8"	
28	BEDROOM #4B	E	6'-4" x	6'-8"	
29	BEDROOM #4A	E	8'-0" x	6'-8"	
30	GARAGE	B	3'-0" x	6'-8"	
31	NOT USED				

REVISIONS	BY
REVISION A	
BY: LINDA BARRERA	
PLANNING DEPARTMENT	
PLANJUNE 06-2017	

TIM CHU	CONST. / DESIGN DEPT. DIRECTOR
HENG YUEN ENGINEERING GROUP INC	
333 Hegenberger rd., Suite 200	
oakland, CA 94621	
Email: timchu2847@gmail.com	
Phone: 925-708-8321	


Hendrik Van De Pol, P.E.	
consulting engineer Civil - CA C	
15472	
2225 Livingston Lane	
Stockton, Cal. 95210	
209-474-9821	
hvdutchhenk@aol.com	

PROJECT TITLE:	
HAIHUA KUANG RESIDENCE:	
1822 Bay Street.	
Alameda, Calif. 94501	
510-338-8877	


PROPOSED	
INTERIOR	
ELEVATION	
KITCHEN-BATH	

DRAWN	
CGA	
CHECKED	
TCH	
DATE	
08-12-17	
SCALE	
JOB NO.	
SHEET	

A-8



LOWER FLOOR
SCALE: 1/4=1'-0"



UPPER FLOOR
SCALE: 1/4=1'-0"

- | | | | | |
|--|--------------------------------|---|---|--|
| GROUND FAULT OUTLET | BUTTON SWITCH | THERMOSTAT | INCANDESCENT LIGHT FIXTURE - CEILING | STEP 120v STEP LAMPS BRUSHED STAINLESS STEEL |
| GROUND FAULT INTER (WATERPROOF) MOUNT ABOVE GRADE (U.O.N.) | SINGLE POLE SWITCH | JUNCTION BOX-CLG. FIXT. | INCANDESCENT LIGHT FIXTURE - WALL | INTERMATIC ELECT. 40 AMP SWITCH TIMER |
| 120 VOLT OUTLET | THREE WAY SWITCH w/DIMMER | SMOKE DETECTOR - 110 VOLT WITH BATTERY BACKUP | FLUORESCENT LIGHT FIXTURE - WALL | LS LINEAR SUPPLY SLOT DIFFUSERS-CEILING. Anemostat FFS-150 |
| 220 VOLT OUTLET | THREE WAY SWITCH w/DIMMER | CABLE TV OUTLET | LV GROUND LIGHT-SS-INTENSE LIGHTING | DOWN LIGHT-EXTERIOR. |
| 120V FLOOR OUTLET | FOUR WAY SWITCH w/DIMMER | PHONE JACK | 4" RECESSED LIGHT FIXTURE (LED) | EXTERIOR LIGHT-WALL |
| SWITCHED DUPLEX OUTLET | WATERPROOF SWITCH | CAT CABLE | RECESSED LIGHT FIXTURE DAMP-AREAS | m.d. AUTOMATIC-MOTION DETECTOR ACTIVATED |
| RANGE OUTLET | OCC. SENSOR WITH MANUAL ON/OFF | FAN PANASONIC FV-11VHL1+LIGHT | 100 AMP SUB PANEL ELECTRICAL SUB PANEL-Q0816 | FLUORESCENT UNDER COUNTER LIGHT FIXTURE |
| WIRING PATH | DIMMER SWITCH | FLUORESCENT LIGHT FIXTURE - CEILING | 200 AMP MAIN PANEL 3-PHASE PANEL W/200 AMP DISCONNECT | HOSE BIB |

REVISIONS	BY
REVISION 2	
BY: LINDA BARRERA	
PLANNING DEPARTMENT	
PLANJUNE 06-2017	

TIM CHU
CONST. / DESIGN DEPT. DIRECTOR
HENG YUEN ENGINEERING GROUP INC
333 Hegenberger rd., Suite 200
Oakland, CA 94621
Email: timchu2847@gmail.com
Phone: 925-708-8321

Hendrik Van De Pol, P.E.
consulting engineer Civil - CA C
15472
2225 Livingston Lane
Stockton, Cal 95210
209-474-9821
hvdutchhenk@aol.com

PROJECT TITLE:
HAIHUA KUANG RESIDENCE:
1822 Bay Street.
Alameda, Calif. 94501
510-338-8877

PROPOSED
FLOOR
ELECTRICAL
PLANS

DRAWN CGA
CHECKED TCH
DATE 08-12-17
SCALE
JOB NO.
SHEET
A-9
OF SHEETS